

BREFCO SUPAFLUE

1st Jan 2009

% Increase
Multiply by

Plain Pipe

| Type | Nominal length | Per Pack | Price £ | White Code | Black Code |
|-----------------------|----------------|----------|--------------|------------|------------|
| Plain Pipe 100mm (4") | 300mm (1 ft) | 1 | 23.34 | SFPN 140WH | SFPN 140BL |
| Plain Pipe 125mm (5") | 300mm (1 ft) | 1 | 27.41 | SFPN 150WH | SFPN 150BL |
| Plain Pipe 150mm (6") | 300mm (1 ft) | 1 | 32.44 | SFPN 160WH | SFPN 160BL |
| Plain Pipe 100mm (4") | 600mm (2 ft) | 1 | 33.62 | SFPN 240WH | SFPN 240BL |
| Plain Pipe 125mm (5") | 600mm (2 ft) | 1 | 34.12 | SFPN 250WH | SFPN 250BL |
| Plain Pipe 150mm (6") | 600mm (2 ft) | 1 | 38.76 | SFPN 260WH | SFPN 260BL |
| Plain Pipe 100mm (4") | 900mm (3 ft) | 1 | 44.96 | SFPN 340WH | SFPN 340BL |
| Plain Pipe 125mm (5") | 900mm (3 ft) | 1 | 46.49 | SFPN 350WH | SFPN 350BL |
| Plain Pipe 150mm (6") | 900mm (3 ft) | 1 | 51.62 | SFPN 360WH | SFPN 360BL |
| Plain Pipe 100mm (4") | 1200mm (4 ft) | 1 | 58.38 | SFPN 440WH | SFPN 440BL |
| Plain Pipe 125mm (5") | 1200mm (4 ft) | 1 | 61.55 | SFPN 450WH | SFPN 450BL |
| Plain Pipe 150mm (6") | 1200mm (4 ft) | 1 | 68.04 | SFPN 460WH | SFPN 460BL |

Pipe with Door

| Type | Nominal length | Per Pack | Price £ | White Code | Black Code |
|---------------------------|----------------|----------|--------------|------------|------------|
| Pipe with Door 100mm (4") | 300mm (1 ft) | 1 | 33.44 | SFPD 140WH | SFPD 140BL |
| Pipe with Door 125mm (5") | 300mm (1 ft) | 1 | 37.53 | SFPD 150WH | SFPD 150BL |
| Pipe with Door 150mm (6") | 300mm (1 ft) | 1 | 42.49 | SFPD 160WH | SFPD 160BL |
| Pipe with Door 100mm (4") | 600mm (2 ft) | 1 | 47.08 | SFPD 240WH | SFPD 240BL |
| Pipe with Door 125mm (5") | 600mm (2 ft) | 1 | 47.57 | SFPD 250WH | SFPD 250BL |
| Pipe with Door 150mm (6") | 600mm (2 ft) | 1 | 52.21 | SFPD 260WH | SFPD 260BL |
| Pipe with Door 100mm (4") | 900mm (3 ft) | 1 | 58.40 | SFPD 340WH | SFPD 340BL |
| Pipe with Door 125mm (5") | 900mm (3 ft) | 1 | 59.96 | SFPD 350WH | SFPD 350BL |
| Pipe with Door 150mm (6") | 900mm (3 ft) | 1 | 65.05 | SFPD 360WH | SFPD 360BL |
| Pipe with Door 100mm (4") | 1200mm (4 ft) | 1 | 71.84 | SFPD 440WH | SFPD 440BL |
| Pipe with Door 125mm (5") | 1200mm (4 ft) | 1 | 75.04 | SFPD 450WH | SFPD 450BL |
| Pipe with Door 150mm (6") | 1200mm (4 ft) | 1 | 81.48 | SFPD 460WH | SFPD 460BL |

90° Bend with Door

Fitted with stainless steel soot door

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|--------------------|--------------|---------------|-----|----------|--------------|-------------|-------------|
| | | A | B | | | | |
| 90° Bend with Door | 100mm (4 in) | 203 | 203 | 1 | 61.37 | SFBD 4090WH | SFBD 4090BL |
| 90° Bend with Door | 125mm (5 in) | 229 | 229 | 1 | 66.45 | SFBD 5090WH | SFBD 5090BL |
| 90° Bend with Door | 150mm (6 in) | 254 | 254 | 1 | 71.46 | SFBD 6090WH | SFBD 6090BL |

110° Bend with Door

Fitted with stainless steel soot door

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|---------------------|--------------|---------------|-----|----------|--------------|--------------|--------------|
| | | A | B | | | | |
| 110° Bend with Door | 100mm (4 in) | 197 | 229 | 1 | 52.47 | SFBD 40110WH | SFBD 40110BL |
| 110° Bend with Door | 125mm (5 in) | 222 | 241 | 1 | 58.00 | SFBD 50110WH | SFBD50110BL |
| 110° Bend with Door | 150mm (6 in) | 248 | 253 | 1 | 62.75 | SFBD 60110WH | SFBD 60110BL |

135° Bend with Door

Fitted with stainless steel soot door

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|---------------------|--------------|---------------|-----|----------|--------------|--------------|--------------|
| | | A | B | | | | |
| 135° Bend with Door | 100mm (4 in) | 172 | 273 | 1 | 52.47 | SFBD 40135WH | SFBD 40135BL |
| 135° Bend with Door | 125mm (5 in) | 197 | 305 | 1 | 58.00 | SFBD 50135WH | SFBD 50135BL |
| 135° Bend with Door | 150mm (6 in) | 222 | 336 | 1 | 62.75 | SFBD 60135WH | SFBD 60135BL |

150° Bend with Door

Fitted with stainless steel soot door

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|---------------------|--------------|---------------|-----|----------|--------------|--------------|--------------|
| | | A | B | | | | |
| 150° Bend with Door | 125mm (5 in) | 165 | 260 | 1 | 58.00 | SFBD 50150WH | SFBD 50150BL |
| 150° Bend with Door | 150mm (6 in) | 200 | 295 | 1 | 62.75 | SFBD 60150WH | SFBD 60150BL |

110° Bend without Door

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|------------------------|--------------|---------------|-----|----------|--------------|--------------|--------------|
| | | A | B | | | | |
| 110° Bend without Door | 100mm (4 in) | 197 | 229 | 1 | 38.56 | SFBN 40110WH | SFBN 40110BL |
| 110° Bend without Door | 125mm (5 in) | 222 | 241 | 1 | 43.47 | SFBN 50110WH | SFBN 50110BL |
| 110° Bend without Door | 150mm (6 in) | 248 | 253 | 1 | 50.13 | SFBN 60110WH | SFBN 60110BL |

135° Bend without Door

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|------------------------|--------------|---------------|-----|----------|--------------|--------------|--------------|
| | | A | B | | | | |
| 135° Bend without Door | 100mm (4 in) | 172 | 273 | 1 | 38.56 | SFBN 40135WH | SFBN 40135BL |
| 135° Bend without Door | 125mm (5 in) | 197 | 305 | 1 | 43.47 | SFBN 50135WH | SFBN 50135BL |
| 135° Bend without Door | 150mm (6 in) | 222 | 336 | 1 | 50.13 | SFBN 60135WH | SFBN 60135BL |

150° Bend without Door

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|------------------------|--------------|---------------|-----|----------|--------------|--------------|--------------|
| | | A | B | | | | |
| 150° Bend without Door | 125mm (5 in) | 165 | 260 | 1 | 43.47 | SFBN 50150WH | SFBN 50150BL |
| 150° Bend without Door | 150mm (6 in) | 200 | 295 | 1 | 50.13 | SFBN 60150WH | SFBN 60150BL |

90° Tee

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|---------|--------------|---------------|-----|----------|--------------|------------|------------|
| | | A | B | | | | |
| 90° Tee | 100mm (4 in) | 178 | 305 | 1 | 59.85 | SFET 40WH | SFET 40BL |
| 90° Tee | 125mm (5 in) | 203 | 305 | 1 | 63.73 | SFET 50WH | SFET 50BL |
| 90° Tee | 150mm (6 in) | 229 | 305 | 1 | 67.17 | SFET 60WH | SFET 60BL |

135° Tee

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|----------|--------------|---------------|-----|----------|--------------|------------|------------|
| | | A | B | | | | |
| 135° Tee | 100mm (4 in) | 181 | 305 | 1 | 65.88 | SFAT 40WH | SFAT 40BL |
| 135° Tee | 125mm (5 in) | 206 | 305 | 1 | 70.09 | SFAT 50WH | SFAT 50BL |
| 135° Tee | 150mm (6 in) | 232 | 305 | 1 | 74.30 | SFAT 60WH | SFAT 60BL |

Stabiliser Tee

Incorporates a draught stabiliser in the branch

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|----------------|--------------|---------------|-----|----------|--------------|------------|------------|
| | | A | B | | | | |
| Stabiliser Tee | 100mm (4 in) | 228 | 305 | 1 | 73.89 | SFDT 40WH | SFDT 40BL |
| Stabiliser Tee | 125mm (5 in) | 253 | 305 | 1 | 77.82 | SFDT 50WH | SFDT 50BL |
| Stabiliser Tee | 150mm (6 in) | 279 | 305 | 1 | 81.08 | SFDT 60WH | SFDT 60BL |

Tee Cap

Fits on the base of a tee to give access for condensate removal and cleaning

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|---------|--------------|---------------|----|----------|--------------|------------|------------|
| | | A | B | | | | |
| Tee Cap | 100mm (4 in) | 110 | 40 | 1 | 23.38 | SFEC 40WH | SFEC 40BL |
| Tee Cap | 125mm (5 in) | 135 | 40 | 1 | 24.60 | SFEC 50WH | SFEC 50BL |
| Tee Cap | 150mm (6 in) | 160 | 40 | 1 | 26.26 | SFEC 60WH | SFEC 60BL |

Special Tees to order

| Type | Nominal Diameter | Per Pack | Price £ | White Code | Black Code |
|-------------|------------------|----------|--------------|------------|------------|
| Special Tee | 100mm (4 in) | 1 | 65.89 | SFST 40WH | SFST 40BL |
| Special Tee | 125mm (5 in) | 1 | 70.09 | SFST 50WH | SFST 50BL |
| Special Tee | 150mm (6 in) | 1 | 73.89 | SFST 60WH | SFST 60BL |

Supaflue Adapters

Flue Liner Adapter

Enables Supaflue to be joined to most stainless steel flue liners

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|--------------------|--------------|---------------|-----|----------|--------------|------------|------------|
| | | A | B | | | | |
| Flue Liner Adapter | 100mm (4 in) | 114 | 105 | 1 | 20.60 | SFAEC 40WH | SFAEC 40BL |
| Flue Liner Adapter | 125mm (5 in) | 114 | 130 | 1 | 20.60 | SFAEC 50WH | SFAEC 50BL |
| Flue Liner Adapter | 150mm (6 in) | 114 | 156 | 1 | 20.60 | SFAEC 60WH | SFAEC 60BL |

Cut Length Adapter

Joins two cut pieces of Supaflue together

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|--------------------|--------------|---------------|-----|----------|--------------|------------|------------|
| | | A | B | | | | |
| Cut Length Adapter | 100mm (4 in) | 76 | 110 | 1 | 19.37 | SFAC 40WH | SFAC 40BL |
| Cut Length Adapter | 125mm (5 in) | 76 | 130 | 1 | 19.37 | SFAC 50WH | SFAC 50BL |
| Cut Length Adapter | 150mm (6 in) | 76 | 160 | 1 | 19.37 | SFAC 60WH | SFAC 60BL |

Spun Adapter or Increaser

Connects Supaflue to asbestos, steel or cast iron flue pipe. May be used as an increaser to next nominal size.

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|---------------------------|--------------|---------------|-----|----------|--------------|------------|------------|
| | | A | B | | | | |
| Spun Adapter to Increaser | 100mm (4 in) | 76 | 132 | 1 | 25.38 | SFAS 50WH | SFAS 40BL |
| Spun Adapter to Increaser | 125mm (5 in) | 76 | 159 | 1 | 25.80 | SFAS 50WH | SFAS 50BL |
| Spun Adapter to Increaser | 150mm (6 in) | 76 | 184 | 1 | 27.55 | SFAS 50WH | SFAS 60BL |

300mm Conical Adapter

Connects Supaflue to flue liners, asbestos, steel or cast iron flue pipe. 'Expanded' pattern available to connect to larger diameter flue pipe.

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|-----------------------|--------------|---------------|-----|----------|--------------|------------|------------|
| | | A | B | | | | |
| 300mm Conical Adapter | 100mm (4 in) | 305 | 135 | 1 | 31.62 | SFAO 40W | SFAO 40BL |
| 300mm Conical Adapter | 100 x 125mm | 305 | 160 | 1 | 32.04 | SFAO 4X5WH | SFAO 4X5BL |
| 300mm Conical Adapter | 125mm (5 in) | 305 | 165 | 1 | 32.13 | SFAO 50WH | SFAO 50BL |
| 300mm Conical Adapter | 125 x 150mm | 305 | 190 | 1 | 36.99 | SFAO 5X6WH | SFAO 5X6BL |
| 300mm Conical Adapter | 150mm (6 in) | 305 | 185 | 1 | 36.99 | SFAO 60WH | SFAO 60BL |

Boiler Adapter

For use on appliances with a deep 100mm (4 in) socket that requires 125mm (5") Supaflue

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|----------------|--------------|---------------|-----|----------|--------------|------------|------------|
| | | A | B | | | | |
| Boiler Adapter | 125mm (5 in) | 165 | 130 | 1 | 27.05 | SFBA 50WH | SFBA 50BL |

Supaflue Terminals

Aluminium Cone Cap

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code |
|--------------------|--------------|---------------|--------|----------|--------------|------------|
| | | A | B | | | |
| Aluminium Cone Cap | 100mm (4 in) | 225 | 230.00 | 1 | 17.20 | SFCC 40 |
| Aluminium Cone Cap | 125mm (5 in) | 230 | 280.00 | 1 | 18.75 | SFCC 50 |
| Aluminium Cone Cap | 150mm (6 in) | 255 | 330.00 | 1 | 20.32 | SFCC 60 |

Supaflue Accessories

Ceiling Ring

One piece. Gives a neat finish when flue pipe passes through the ceiling.

| Type | Nominal dia. | Dimensions mm | | Per Pack | Price £ | White Code | Black Code |
|--------------|--------------|---------------|--------|----------|--------------|------------|------------|
| | | A | B | | | | |
| Ceiling Ring | 100mm (4 in) | 108 | 179.00 | 1 | 15.11 | SFCR 40WH | SFCR 40BL |
| Ceiling Ring | 125mm (5 in) | 133 | 203.00 | 1 | 15.11 | SFCR 50WH | SFCR 50BL |
| Ceiling Ring | 150mm (6 in) | 159 | 229.00 | 1 | 15.11 | SFCR 60WH | SFCR 60BL |

Maintenance Clip

Stainless steel with sealing gasket. Joins two spigot ends together for use on gas fired systems to enable appliance removal without disturbing other flue joints.

| Type | Nominal dia. | Dimensions mm | Per Pack | Price £ | White Code |
|------------------|--------------|---------------|----------|--------------|------------|
| | | A | | | |
| Maintenance Clip | 100mm (4 in) | 120 | 1 | 15.40 | SFMC 40 |
| Maintenance Clip | 125mm (5 in) | 145 | 1 | 15.40 | SFMC 50 |
| Maintenance Clip | 150mm (6 in) | 170 | 1 | 15.40 | SFMC 60 |